



# Federal Communications Commission

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2010 - June 30, 2011

Filing Confirmation Number: 0004804736

Filing Deadline: July 15, 2011

FRN: 0005810205

Filing Date: 07/15/2011 03:34 PM

### General Report Information

#### Type of Company

Device Manufacturer

#### De Minimis Exception

Did you offer more than two handsets over any air interface to service providers (if you are a device manufacturer) or to subscribers (if you are a service provider) during this reporting period? Yes

Did you offer any handsets to service providers (if you are a device manufacturer) or to subscribers (if you are a service provider) during this reporting period?

#### Company Information

Company Name: Samsung Telecommunications America

Brand Names: Samsung

PO Box:

Street Address: 1301 E. Lookout Drive

City: Richardson

State: TX

Zip Code: 75082

Contact Name: Kendra M. Green

Contact Phone: (972) 761-7123

Contact Fax: (972) 761-7678

Contact Email: k.green@samsung.com

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

#### Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards have clear and effective disclosure that the handset has not been rated for hearing aid compatibility with respect to such operations? Yes

Explain:

#### Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those

models, and an explanation of the rating system? Yes

Website address:

[http://www.samsung.com/us/consumer/learningresources/mobile/accessibility/pop\\_accessibility.html](http://www.samsung.com/us/consumer/learningresources/mobile/accessibility/pop_accessibility.html)

Explain:

### Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Samsung participated in industry efforts to educate consumers by providing a booth showing hearing aid compatible phones at the Hearing Loss Association of America's 2011 convention. Samsung has a website for accessibility that includes the listing of HAC rating and posting of estimated M1/M2 information for non-HAC devices. Samsung's website also provides information that enables customers to contact and speak to a designated agent for HAC. Samsung's website also helps to explain the meaning of the M and T-coil HAC ratings.

### Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 49

### Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 114

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	22	42%	12	23%	19	36%	53
CDMA	46	73%	15	24%	2	3%	63
WCDMA	8	24%	10	30%	15	45%	33
LTE	2	67%			1	33%	3
WIMAX			1	50%	1	50%	2

### Handset 1: Samsung Freeform Link R350

#### Handset Maker

Samsung

#### Handset Model Name

Freeform Link R350

#### FCC ID

A3LSCHR350

#### Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 07/09 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 06/11/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/11/09

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 2: Samsung SCH-R355****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SCH-R355

A3LSCHR355

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 03/10 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 09/11/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/11/09

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 3: Samsung SCH-R351****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SCH-R351

A3LSCHR351

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 08/09 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 06/04/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/04/09

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 4: Samsung SCH-R330****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SCH-R330

A3LSCHR330

SCH-R335C

A3LSCHR330

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 04/10 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 11/23/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 11/23/09

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 5: Samsung Hue II SCH-R600****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

Hue II SCH-R600

A3LSCHR600

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 10/08 to 03/11

**Ratings**

M-Rating: M4  
M-Rating Certification Date: 09/22/08  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating:  
T-Rating Certification Date:  
Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 6: Samsung SCH-R100****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SCH-R100

A3LSCHR100

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1700 MHz CDMA  
1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 11/09 to 03/11

**Ratings**

M-Rating: M4  
M-Rating Certification Date: 10/02/09  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T4  
T-Rating Certification Date: 10/02/09  
Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

## Handset 7: Samsung SCH-R460

### Handset Maker

Samsung

### Handset Model Name

SCH-R460

### FCC ID

A3LSCHR460

### Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 05/09 to 07/10

### Ratings

M-Rating: M4

M-Rating Certification Date: 05/11/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

### Remarks

---

## Handset 8: Samsung i220 Code

### Handset Maker

Samsung

### Handset Model Name

i220 Code

### FCC ID

A3LSCHI220

### Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 10/09 to 09/10

**Ratings**

M-Rating: M4

M-Rating Certification Date: 07/08/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/08/09

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 9: Samsung SCH-R860****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SCH-R860

A3LSCHR860

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 02/10 to 12/10

**Ratings**

M-Rating: M4

M-Rating Certification Date: 10/20/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 10/20/09

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 10: Samsung SCH-R630****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SCH-R630

A3LSCHR630

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 05/10 to 05/11

### Ratings

M-Rating: M4

M-Rating Certification Date: 04/08/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/08/10

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 11: Samsung SCH-U440

### Handset Maker

Samsung

### Handset Model Name

SCH-U440

### FCC ID

A3LSCHU440

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 05/09 to 07/10

### Ratings

M-Rating: M4

M-Rating Certification Date: 05/13/08

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T4

T-Rating Certification Date: 05/13/08

Version of the ANSI C63.19 standard used during the certification process: 2006

### Remarks

---

## Handset 12: Samsung SPH-D720

### Handset Maker

Samsung

### Handset Model Name

SPH-D720

### FCC ID

A3LSPHD720



**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1900 MHz CDMA  
2500 MHz WIMAX

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 04/11 to 06/11

**Ratings**

M-Rating: M4  
M-Rating Certification Date: 04/08/11  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating:  
T-Rating Certification Date:  
Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 13: Samsung SPH-M260****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SPH-M260

A3LSPHM260

**Air Interfaces/Frequency Bands**

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 01/11 to 06/11

**Ratings**

M-Rating: M4  
M-Rating Certification Date: 01/20/11  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T4  
T-Rating Certification Date: 01/20/11  
Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

## Handset 14: Samsung SPH-M360

### Handset Maker

Samsung

### Handset Model Name

SPH-M360

### FCC ID

A3LSPHM360

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 09/10 to 06/11

### Ratings

M-Rating: M4

M-Rating Certification Date: 09/13/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 09/13/10

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 15: Samsung SCH-U750

### Handset Maker

Samsung

### Handset Model Name

SCH-U750

### FCC ID

A3LSCHU750

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 04/09 to 01/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 01/23/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 16: Samsung SPH-M575****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SPH-M575

A3LSPHM575

**Air Interfaces/Frequency Bands**

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 02/11 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 02/16/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 02/16/11

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 17: Samsung SPH-M580****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SPH-M580

A3LSPHM580

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

#### Dates

This handset model was offered from: 04/11 to 06/11

#### Ratings

M-Rating: M4

M-Rating Certification Date: 03/21/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/21/11

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

### Handset 18: Samsung SPH-D700

#### Handset Maker

Samsung

#### Handset Model Name

#### FCC ID

SPH-D700

A3LSPHD700

#### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

2500 MHz WIMAX

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

#### Dates

This handset model was offered from: 07/10 to 06/11

#### Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

---

### Handset 19: Samsung SPH-M820

#### Handset Maker

Samsung

#### Handset Model Name

#### FCC ID

SPH-M820

A3LSPHM820

#### Air Interfaces/Frequency Bands

1900 MHz CDMA

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

#### Dates

This handset model was offered from: 04/11 to 06/11

#### Ratings

M-Rating: M4

M-Rating Certification Date: 03/17/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 03/17/11

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

### Handset 20: Samsung SPH-M380

#### Handset Maker

Samsung

#### Handset Model Name

#### FCC ID

SPH-M380

A3LSPHM380

#### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

820 MHz CDMA

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

#### Dates

This handset model was offered from: 03/11 to 06/11

#### Ratings

M-Rating: M4

M-Rating Certification Date: 03/31/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/31/11

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

820 MHz is the Part 90 ESMR band

---

## Handset 21: Samsung SGH-A197

### Handset Maker

Samsung

### Handset Model Name

SGH-A197

### FCC ID

A3LSGHA197

### Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 12/10 to 06/11

### Ratings

M-Rating: M3

M-Rating Certification Date: 08/10/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 08/10/10

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 22: Samsung SGH-A187

### Handset Maker

Samsung

### Handset Model Name

SGH-A187

### FCC ID

A3LSGHA187

### Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 10/10 to 05/11

**Ratings**

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 23: Samsung SGH-A597****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SGH-A597

A3LSGHA597

**Air Interfaces/Frequency Bands**

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 07/10 to 02/11

**Ratings**

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 24: Samsung SGH-A927****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SGH-A927

A3LSGHA927

**Air Interfaces/Frequency Bands**

850 MHz GSM

850 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

#### Dates

This handset model was offered from: 07/10 to 06/11

#### Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

---

### Handset 25: Samsung SGH-A817

#### Handset Maker

Samsung

#### Handset Model Name

SGH-A817

#### FCC ID

A3LSGHA817

#### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

#### Dates

This handset model was offered from: 10/10 to 06/11

#### Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

---



## Handset 26: Samsung SGH-I897

### Handset Maker

Samsung

### Handset Model Name

SGH-I897

### FCC ID

A3LSGHI897

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

### Dates

This handset model was offered from: 09/10 to 06/11

### Ratings

M-Rating: M3

M-Rating Certification Date: 06/11/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

### Remarks

---

## Handset 27: Samsung SGH-i917

### Handset Maker

Samsung

### Handset Model Name

SGH-i917

### FCC ID

A3LSGHI917

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 12/10 to 06/11

**Ratings**

M-Rating: M3

M-Rating Certification Date: 11/03/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 28: Samsung SGH-I997****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SGH-I997

A3LSGHI997

**Air Interfaces/Frequency Bands**

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 05/11 to 06/11

**Ratings**

M-Rating: M3

M-Rating Certification Date: 03/11/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 29: Samsung SGH-A667****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SGH-A667

A3LSGHA667

**Air Interfaces/Frequency Bands**

850 MHz GSM

850 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

#### Dates

This handset model was offered from: 08/10 to 06/11

#### Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

---

### Handset 30: Samsung SGH-T959

#### Handset Maker

Samsung

#### Handset Model Name

SGH-T959

#### FCC ID

A3LSGHT959

#### Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

#### Dates

This handset model was offered from: 07/10 to 05/11

#### Ratings

M-Rating: M3

M-Rating Certification Date: 06/14/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/14/10

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

## Handset 31: Samsung SGH-T959V

### Handset Maker

Samsung

### Handset Model Name

SGH-T959V

### FCC ID

A3LSGHT959V

### Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

### Dates

This handset model was offered from: 02/11 to 06/11

### Ratings

M-Rating: M3

M-Rating Certification Date: 01/18/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 01/18/11

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 32: Samsung SGH-T369

### Handset Maker

Samsung

### Handset Model Name

SGH-T369

### FCC ID

A3LSGHT369

### Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 07/10 to 06/11

**Ratings**

M-Rating: M3

M-Rating Certification Date: 06/03/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/03/10

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 33: Samsung SGH-T249****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SGH-T249

A3LSGHT249

**Air Interfaces/Frequency Bands**

850 MHz GSM

1900 MHz GSM

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 07/10 to 03/11

**Ratings**

M-Rating: M3

M-Rating Certification Date: 07/22/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/22/10

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 34: Samsung SGH-T259****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SGH-T259

A3LSGHT259

**Air Interfaces/Frequency Bands**

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 01/11 to 06/11

**Ratings**

M-Rating: M3

M-Rating Certification Date: 12/28/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 12/28/10

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 35: Samsung SGH-T839****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SGH-T839

A3LSGHT839

**Air Interfaces/Frequency Bands**

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 04/11 to 06/11

**Ratings**

M-Rating: M3

M-Rating Certification Date: 03/10/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/10/11

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 36: Samsung SGH-T759****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

**Air Interfaces/Frequency Bands**

850 MHz GSM  
1700 MHz WCDMA  
1900 MHz GSM

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 06/11 to 06/11

**Ratings**

M-Rating: M3  
M-Rating Certification Date: 04/05/11  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating:  
T-Rating Certification Date:  
Version of the ANSI C63.19 standard used during the certification process:

**Remarks****Handset 37: Samsung SGH-T589****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SGH-T589

A3LSGHT589

**Air Interfaces/Frequency Bands**

850 MHz GSM  
1700 MHz WCDMA  
1900 MHz GSM

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 06/11 to 06/11

**Ratings**

M-Rating:  
M-Rating Certification Date:  
Version of the ANSI C63.19 standard used during the certification process:  
T-Rating:  
T-Rating Certification Date:  
Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

## Handset 38: Samsung SGH-T499

### Handset Maker

Samsung

### Handset Model Name

SGH-T499

### FCC ID

A3LSGHT499

### Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

### Dates

This handset model was offered from: 06/11 to 06/11

### Ratings

M-Rating: M3

M-Rating Certification Date: 06/22/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

### Remarks

---

## Handset 39: Samsung M920

### Handset Maker

Samsung

### Handset Model Name

M920

### FCC ID

A3LSPHM920

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes



**Dates**

This handset model was offered from: 08/10 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 08/16/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/16/10

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 40: Samsung GT-I9020T****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

GT-I9020T

A3LGTI9020T

**Air Interfaces/Frequency Bands**

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 12/10 to 03/11

**Ratings**

M-Rating: M3

M-Rating Certification Date: 10/22/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 41: Samsung R560 Messenger II****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

R560 Messenger II

A3LSCHR560

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1700 MHz CDMA  
1900 MHz CDMA

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

#### Dates

This handset model was offered from: 08/09 to 08/10

#### Ratings

M-Rating: M4

M-Rating Certification Date: 06/29/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/29/09

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

### Handset 42: Samsung SCH-I100

#### Handset Maker

Samsung

#### Handset Model Name

SCH-I100

#### FCC ID

A3LSCHI100

#### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

#### Dates

This handset model was offered from: 02/11 to 06/11

#### Ratings

M-Rating: M4

M-Rating Certification Date: 06/04/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

---

## Handset 43: Samsung SCH-I400

### Handset Maker

Samsung

### Handset Model Name

### FCC ID

SCH-I400

A3LSCHI400

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

### Dates

This handset model was offered from: 02/11 to 06/11

### Ratings

M-Rating: M4

M-Rating Certification Date: 06/22/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

### Remarks

---

## Handset 44: Samsung SCH-i500 Fascinate

### Handset Maker

Samsung

### Handset Model Name

### FCC ID

SCH-i500 Fascinate

A3LSCHI500

SCH-I500 Mesmerize

A3LSCHI500

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 08/10 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 07/14/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 45: Samsung SCH-I510****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SCH-I510

A3LSCHI510

**Air Interfaces/Frequency Bands**

700 MHz LTE

800 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 03/11 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 03/01/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 03/01/11

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 46: Samsung Gusto U360****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

Gusto U360

A3LSCHU360

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 07/10 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 05/21/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/21/10

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 47: Samsung SCH-U460****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SCH-U460

A3LSCHU460

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 07/10 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 04/29/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 48: Samsung SCH-R260****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SCH-R260

A3LSCHR260

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 04/11 to 06/11

**Ratings**

M-Rating: M4  
M-Rating Certification Date: 03/16/11  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T4  
T-Rating Certification Date: 03/16/11  
Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 49: Samsung SCH-R261****Handset Maker**

Samsung

**Handset Model Name**

SCH-R261

**FCC ID**

A3LSCHR261

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1700 MHz CDMA  
1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 05/11 to 06/11

**Ratings**

M-Rating: M4  
M-Rating Certification Date: 04/07/11  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T4  
T-Rating Certification Date: 04/07/11  
Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

## Handset 50: Samsung SCH-R360

### Handset Maker

Samsung

### Handset Model Name

SCH-R360

### FCC ID

A3LSCHR360

### Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 09/10 to 03/11

### Ratings

M-Rating: M4

M-Rating Certification Date: 07/02/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 07/02/10

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 51: Samsung SCH-R380

### Handset Maker

Samsung

### Handset Model Name

SCH-R380

### FCC ID

A3LSCHR380

### Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 06/11 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 04/22/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/22/11

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks****Handset 52: Samsung Messenger III SCHr570****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

Messenger III SCHr570

A3LSCHR570

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 10/10 to 02/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 09/01/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/01/10

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks****Handset 53: Samsung SCH-R580****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SCH-R580

A3LSCHR580

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA



**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 11/10 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 09/16/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/16/10

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 54: Samsung SCH-R710****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SCH-R710

A3LSCHR710

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 12/10 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 06/22/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/22/10

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 55: Samsung SCH-R900****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1700 MHz CDMA  
1700 MHz LTE  
1900 MHz CDMA  
1900 MHz LTE

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 07/10 to 03/11

**Ratings**

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks****Handset 56: Samsung SGH-T255G****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SGH-T255G

A3LSGHT255G

**Air Interfaces/Frequency Bands**

850 MHz GSM  
1900 MHz GSM

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 09/10 to 02/11

**Ratings**

M-Rating: M3

M-Rating Certification Date: 08/06/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/06/10

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 57: Samsung SCH-R910****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SCH-R910

A3LSCHR910

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1700 MHz CDMA

1700 MHz LTE

1900 MHz CDMA

1900 MHz LTE

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 02/11 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 02/04/11

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 02/04/11

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 58: Samsung SCH-R915****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SCH-R915

A3LSCHR915

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1700 MHz CDMA  
1900 MHz CDMA

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

#### Dates

This handset model was offered from: 05/11 to 06/11

#### Ratings

M-Rating: M4  
M-Rating Certification Date: 03/22/11  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T4  
T-Rating Certification Date: 03/22/11  
Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

### Handset 59: Samsung SGH-T404G

#### Handset Maker

Samsung

#### Handset Model Name

SGH-T404G

#### FCC ID

A3LSGHT404G

#### Air Interfaces/Frequency Bands

850 MHz GSM  
1900 MHz GSM

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

#### Dates

This handset model was offered from: 10/10 to 06/11

#### Ratings

M-Rating: M3  
M-Rating Certification Date: 06/20/10  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T3  
T-Rating Certification Date: 06/20/10  
Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

## Handset 60: Samsung R250 Contour

### Handset Maker

Samsung

### Handset Model Name

R250 Contour

### FCC ID

A3LSCHR250

### Air Interfaces/Frequency Bands

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 09/10 to 04/11

### Ratings

M-Rating: M4

M-Rating Certification Date: 06/01/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/01/10

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 61: Samsung SCH-R250 Generic

### Handset Maker

Samsung

### Handset Model Name

SCH-R250 Generic

### FCC ID

A3LSCHR250A

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 10/10 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 09/21/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 09/21/10

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 62: Samsung SCH-I770****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SCH-I770

A3LSCHI770

**Air Interfaces/Frequency Bands**

800 MHz CDMA

850 MHz GSM

1900 MHz GSM

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 05/08 to 07/10

**Ratings**

M-Rating: M4

M-Rating Certification Date: 05/02/08

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 63: Samsung SCH-i920****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SCH-i920

A3LSCHI920

**Air Interfaces/Frequency Bands**

800 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 11/09 to 10/10

**Ratings**

M-Rating: M4

M-Rating Certification Date: 10/15/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks****Handset 64: Samsung SCH-U310****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SCH-U310

A3LSCHU310

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 08/08 to 08/10

**Ratings**

M-Rating: M4

M-Rating Certification Date: 06/24/08

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/24/08

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks****Handset 65: Samsung SCH-U320****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 04/10 to 06/11

**Ratings**

M-Rating: M4  
M-Rating Certification Date: 01/26/10  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T4  
T-Rating Certification Date: 01/26/10  
Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 66: Samsung SCH-U350****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SCH-U350

A3LSCHU350

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 03/09 to 11/10

**Ratings**

M-Rating: M4  
M-Rating Certification Date: 01/09/09  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T4  
T-Rating Certification Date: 01/09/09  
Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---



## Handset 67: Samsung SPH-M240

### Handset Maker

Samsung

### Handset Model Name

SPH-M240

### FCC ID

A3LSPHM240

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 07/09 to 09/10

### Ratings

M-Rating: M4

M-Rating Certification Date: 07/21/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/21/09

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 68: Samsung SPH-M330

### Handset Maker

Samsung

### Handset Model Name

SPH-M330

### FCC ID

A3LSPHM330

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 07/09 to 08/10

**Ratings**

M-Rating: M4

M-Rating Certification Date: 07/31/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 07/31/09

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 69: Samsung SCH-U820****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SCH-U820

A3LSCHU820

SCH-U370

A3LSCHU820

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 03/10 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 12/31/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 70: Samsung SPH-M560****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SPH-M560

A3LSPHM560

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 07/09 to 07/10

**Ratings**

M-Rating: M4

M-Rating Certification Date: 06/12/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/12/09

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 71: Samsung SPH-M850****Handset Maker**

Samsung

**Handset Model Name**

SPH-M850

**FCC ID**

A3LSPHM850

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 08/09 to 12/10

**Ratings**

M-Rating: M4

M-Rating Certification Date: 08/10/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/10/09

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 72: Samsung SCH-u450****Handset Maker**

Samsung

**Handset Model Name**

SCH-u450

**FCC ID**

A3LSCHU450

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 08/09 to 12/10

**Ratings**

M-Rating: M4  
M-Rating Certification Date: 06/26/09  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating:  
T-Rating Certification Date:  
Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 73: Samsung SCH-U490****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SCH-U490

A3LSCHU490

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 04/09 to 09/10

**Ratings**

M-Rating: M4  
M-Rating Certification Date: 01/09/09  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T3  
T-Rating Certification Date: 01/09/09  
Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

## Handset 74: Samsung SCH-u640

### Handset Maker

Samsung

### Handset Model Name

SCH-u640

### FCC ID

A3LSCHU640

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 10/09 to 05/11

### Ratings

M-Rating: M4

M-Rating Certification Date: 06/10/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/10/09

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 75: Samsung SPH-M900

### Handset Maker

Samsung

### Handset Model Name

SPH-M900

### FCC ID

A3LSPHM900

### Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 08/09 to 07/10

**Ratings**

M-Rating: M4

M-Rating Certification Date: 09/21/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 76: Samsung SPH-I350****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SPH-I350

A3LSPHI350

**Air Interfaces/Frequency Bands**

800 MHz CDMA

850 MHz GSM

1900 MHz GSM

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 07/09 to 11/10

**Ratings**

M-Rating: M3

M-Rating Certification Date: 08/17/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/17/09

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 77: Samsung SPH-M350****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SPH-M350

A3LSPHM350

**Air Interfaces/Frequency Bands**

800 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 03/10 to 04/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 02/23/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 78: Samsung SPH-M570****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SPH-M570

A3LSPHM570

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 04/10 to 03/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 03/26/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/26/10

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 79: Samsung SPH-M910****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

**Air Interfaces/Frequency Bands**

800 MHz CDMA  
1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 06/10 to 06/11

**Ratings**

M-Rating: M4  
M-Rating Certification Date: 04/30/10  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T3  
T-Rating Certification Date: 04/30/10  
Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 80: Samsung M340****Handset Maker**

Samsung

**Handset Model Name                      FCC ID**

M340    A3LSPHM340

**Air Interfaces/Frequency Bands**

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 06/09 to 12/10

**Ratings**

M-Rating: M4  
M-Rating Certification Date: 01/26/09  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T4  
T-Rating Certification Date: 01/26/09  
Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---



## Handset 81: Samsung a167

### Handset Maker

Samsung

### Handset Model Name

a167

### FCC ID

A3LSGHA167

### Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 01/09 to 12/10

### Ratings

M-Rating: M3

M-Rating Certification Date: 01/14/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 01/14/09

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 82: Samsung SGH-A107

### Handset Maker

Samsung

### Handset Model Name

SGH-A107

### FCC ID

A3LSGHA107

### Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 03/10 to 05/11

**Ratings**

M-Rating: M3

M-Rating Certification Date: 03/18/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/18/10

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 83: Samsung SGH-A177****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SGH-A177

A3LSGHA177

**Air Interfaces/Frequency Bands**

850 MHz GSM

1900 MHz GSM

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 05/09 to 08/10

**Ratings**

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 84: Samsung SGH-A657****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SGH-A657

A3LSGHA657

**Air Interfaces/Frequency Bands**

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM  
1900 MHz WCDMA

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

#### Dates

This handset model was offered from: 03/09 to 09/10

#### Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

---

### Handset 85: Samsung SGH-A687

#### Handset Maker

Samsung

#### Handset Model Name

SGH-A687

#### FCC ID

A3LSGHA687

#### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

#### Dates

This handset model was offered from: 03/10 to 06/11

#### Ratings

M-Rating: M3

M-Rating Certification Date: 12/09/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 12/09/09

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

## Handset 86: Samsung SGH-A697

### Handset Maker

Samsung

### Handset Model Name

SGH-A697

### FCC ID

A3LSGHA697

### Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 03/10 to 03/11

### Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

### Remarks

---

## Handset 87: Samsung SGH-A777

### Handset Maker

Samsung

### Handset Model Name

SGH-A777

### FCC ID

A3LSGHA777

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 10/08 to 06/11

**Ratings**

M-Rating: M3

M-Rating Certification Date: 09/24/08

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/24/08

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 88: Samsung SGH-A797****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SGH-A797

A3LSGHA797

**Air Interfaces/Frequency Bands**

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 10/09 to 01/11

**Ratings**

M-Rating: M3

M-Rating Certification Date: 09/23/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 09/23/09

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 89: Samsung SGH-A877****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SGH-A877

A3LSGHA877

**Air Interfaces/Frequency Bands**

850 MHz GSM

850 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

#### Dates

This handset model was offered from: 03/09 to 11/10

#### Ratings

M-Rating: M3

M-Rating Certification Date: 01/09/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

---

### Handset 90: Samsung SAMSUNG A887

#### Handset Maker

Samsung

#### Handset Model Name

#### FCC ID

SAMSUNG A887

A3LSGHA887

#### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

#### Dates

This handset model was offered from: 07/09 to 12/10

#### Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

#### Remarks

---

## Handset 91: Samsung SGH-A897

### Handset Maker

Samsung

### Handset Model Name

SGH-A897

### FCC ID

A3LSGHA897

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 10/09 to 11/10

### Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

### Remarks

---

## Handset 92: Samsung SGH-I627

### Handset Maker

Samsung

### Handset Model Name

SGH-I627

### FCC ID

A3LSGHI627

### Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 10/08 to 12/10

**Ratings**

M-Rating: M3

M-Rating Certification Date: 10/17/08

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 93: Samsung SGH-T459****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SGH-T459

A3LSGHT459, A3LSGHT459A

**Air Interfaces/Frequency Bands**

850 MHz GSM

1900 MHz GSM

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 10/08 to 09/10

**Ratings**

M-Rating: M3

M-Rating Certification Date: 09/22/08

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 94: Samsung SGH-T469****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SGH-T469

A3LSGHT469

**Air Interfaces/Frequency Bands**

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM



**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 08/09 to 08/10

**Ratings**

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks****Handset 95: Samsung SGH-T479****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SGH-T479

A3LSGHT479

**Air Interfaces/Frequency Bands**

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 05/10 to 06/11

**Ratings**

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks****Handset 96: Samsung SGH-T559****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

**Air Interfaces/Frequency Bands**

850 MHz GSM  
1700 MHz WCDMA  
1900 MHz GSM

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 07/09 to 03/11

**Ratings**

M-Rating:  
M-Rating Certification Date:  
Version of the ANSI C63.19 standard used during the certification process:  
T-Rating:  
T-Rating Certification Date:  
Version of the ANSI C63.19 standard used during the certification process:

**Remarks****Handset 97: Samsung SGH-T669****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SGH-T669

A3LSGHT669

**Air Interfaces/Frequency Bands**

850 MHz GSM  
1700 MHz WCDMA  
1900 MHz GSM

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 05/10 to 06/11

**Ratings**

M-Rating:  
M-Rating Certification Date:  
Version of the ANSI C63.19 standard used during the certification process:  
T-Rating:  
T-Rating Certification Date:  
Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

## Handset 98: Samsung SGH-T749

### Handset Maker

Samsung

### Handset Model Name

SGH-T749

### FCC ID

A3LSGHT749

### Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 07/09 to 03/11

### Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

### Remarks

## Handset 99: Samsung SGH-T929

### Handset Maker

Samsung

### Handset Model Name

SGH-T929

### FCC ID

A3LSGHT929

### Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 12/08 to 07/10

**Ratings**

M-Rating: M3

M-Rating Certification Date: 12/15/08

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 100: Samsung SGH-I637****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SGH-I637

A3LSGHI637

**Air Interfaces/Frequency Bands**

850 MHz GSM

850 MHz WCDMA

1900 MHz GSM

1900 MHz WCDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 04/09 to 03/11

**Ratings**

M-Rating: M3

M-Rating Certification Date: 02/26/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 101: Samsung SGH-A847****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SGH-A847

A3LSGHA847

**Air Interfaces/Frequency Bands**

850 MHz GSM

850 MHz WCDMA  
1900 MHz GSM  
1900 MHz WCDMA

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

#### Dates

This handset model was offered from: 04/10 to 06/11

#### Ratings

M-Rating: M3

M-Rating Certification Date: 04/09/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/09/10

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

### Handset 102: Samsung SGH-T139

#### Handset Maker

Samsung

#### Handset Model Name

SGH-T139

#### FCC ID

A3LSGHT139

#### Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

#### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

#### Dates

This handset model was offered from: 01/10 to 03/11

#### Ratings

M-Rating: M3

M-Rating Certification Date: 12/29/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 12/29/09

Version of the ANSI C63.19 standard used during the certification process: 2007

#### Remarks

---

## Handset 103: Samsung SGH-T239

### Handset Maker

Samsung

### Handset Model Name

SGH-T239

### FCC ID

A3LSGHT239

### Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 03/09 to 09/10

### Ratings

M-Rating: M3

M-Rating Certification Date: 03/26/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 03/26/09

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 104: Samsung SGH-T359

### Handset Maker

Samsung

### Handset Model Name

SGH-T359

### FCC ID

A3LSGHT359

### Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 05/10 to 06/11

**Ratings**

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 105: Samsung SGH-T939****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SGH-T939

A3LSGHT939

**Air Interfaces/Frequency Bands**

850 MHz GSM

1700 MHz WCDMA

1900 MHz GSM

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 10/09 to 10/10

**Ratings**

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 106: Samsung SCH-R880****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SCH-R880

A3LSCHR880

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? Yes

**Dates**

This handset model was offered from: 06/10 to 04/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 06/15/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/15/10

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 107: Samsung SCH-R451****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SCH-R451

A3LSCHR451

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 09/09 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 06/11/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 108: Samsung SGHT105G****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SGHT105G

A3LSGHT105G



**Air Interfaces/Frequency Bands**

850 MHz GSM  
1900 MHz GSM

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 02/10 to 06/11

**Ratings**

M-Rating:  
M-Rating Certification Date:  
Version of the ANSI C63.19 standard used during the certification process:  
T-Rating:  
T-Rating Certification Date:  
Version of the ANSI C63.19 standard used during the certification process:

**Remarks**

---

**Handset 109: Samsung SGH-T155G****Handset Maker**

Samsung

**Handset Model Name**

SGH-T155G

**FCC ID**

A3LSGHT155G

**Air Interfaces/Frequency Bands**

850 MHz GSM  
1900 MHz GSM

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 02/10 to 06/11

**Ratings**

M-Rating: M3  
M-Rating Certification Date: 11/13/09  
Version of the ANSI C63.19 standard used during the certification process: 2007  
T-Rating: T3  
T-Rating Certification Date: 11/13/09  
Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

## Handset 110: Samsung SGH-T201G

### Handset Maker

Samsung

### Handset Model Name

SGH-T201G

### FCC ID

A3LSGHT201G

### Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

### Dates

This handset model was offered from: 01/09 to 06/11

### Ratings

M-Rating: M3

M-Rating Certification Date: 10/22/08

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 10/22/08

Version of the ANSI C63.19 standard used during the certification process: 2007

### Remarks

---

## Handset 111: Samsung SGH-T301G

### Handset Maker

Samsung

### Handset Model Name

SGH-T301G

### FCC ID

A3LSGHT301G

### Air Interfaces/Frequency Bands

850 MHz GSM

1900 MHz GSM

### Additional Air Interfaces and Frequency Bands

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 01/09 to 06/11

**Ratings**

M-Rating: M3

M-Rating Certification Date: 11/19/08

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 11/19/08

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 112: Samsung T401G****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

T401G

A3LSGHT401G

**Air Interfaces/Frequency Bands**

850 MHz GSM

1900 MHz GSM

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 10/09 to 06/11

**Ratings**

M-Rating: M3

M-Rating Certification Date: 05/21/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 05/21/09

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 113: Samsung SPH-A310****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SPH-A310

A3LSPHA310

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 04/09 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 04/01/09

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 04/01/09

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Handset 114: Samsung SCH-R631****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

SCH-R631

A3LSCHR631

**Air Interfaces/Frequency Bands**

800 MHz CDMA

1700 MHz CDMA

1900 MHz CDMA

**Additional Air Interfaces and Frequency Bands**

Is this handset capable of voice communication over any air interface or frequency band that does not currently have hearing aid compatibility technical standards? No

**Dates**

This handset model was offered from: 06/10 to 06/11

**Ratings**

M-Rating: M4

M-Rating Certification Date: 06/01/10

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/01/10

Version of the ANSI C63.19 standard used during the certification process: 2007

**Remarks**

---

**Certification****This Report has been certified by:**

Kendra M Green Regulatory Compliance Manager

07/15/2011 03:34 PM